



NANOROUTER

Boca Nano Router Family

Customer:

Date:

Type:

Project:



- Used for Boca Flasher's color changing products.
- Anodized aluminum housing.
- Easy Installation wired or wireless DMX capable.
- Plenum rated*
- Signal boost from unit to unit.
- Contact Boca Flasher for use with OEM fixture needs.
- Contact Boca Flasher for tips with custom installations.




PRODUCT SPECIFICATIONS:


	INPUT CABLE	VOLTAGE	FINISH	MODE	WIRING
Nano Router	CAT6, CAT7	UNV	B	TX / RX	EP Edison Plug
			B Black	RX only (Field Configuration)	HW Hard Wired
				WD WIRELESS DMX	W HARD WIRE DMX

DIMENSIONS:

Plan View



Elevation View



NANO ROUTER

Boca Nano Router Family



TECHNICAL SPECIFICATIONS:

INPUT VOLTAGE	120V-277V
INPUT PORT	DMX (Hard Wire or Wireless)
OUTPUT PORTS	DMX - Signal, Proprietary Connections For Boca Flasher Products
FREQUENCY	60HZ
TOTAL WIDTH	5.52"
TOTAL HEIGHT	1.88"
MAX LOAD	5A per Port
HOUSING LENGTH	4.25" / 3.73"
LENGTH WITH MOUNTING	5.5" / 3.73"
DIMMING CONTROL	DMX
MOUNTING	Brackets w/ Screw Optional
POWER CABLE	UL Standard 10 ft.
RATING	ETL
ENVIRONMENTAL	Operating temperature--40°F-140°F Ambient(-40°C-60°C)** Storage temperature -40°F-140°F Ambient indoor fixtures operation limited to =<50% relative humidity

** Military spec available under special request-lead times may be impacted.

NANO ROUTER

Boca Nano Router Family



MATRIX:

		CONTROLS											
		SDS10V	SDS-DMX	NDI-10V	NDT-10V	N-RFO	NanoRouter	NanoRouter-X	WA5	Monolink-W10V	MonoBoost	MonoDMXTX	PDMX-C
FIXTURES	NanoHD	●	●	●		●	●	●		●			
	NanoWarmDim	●	●	●		●	●	●		●			
	NanoLume	●	●	●		●	●	●		●			
	NanoX	●	●	●		●	●	●		●			
	HPNFC-HO	●	●										
	HPNLS-HO	●	●										
	HPNLS-LO	●	●										
	Lumeline	●	●										
	Niche-HV	●	●										
	SBL-MC	●	●										
	NanoMix						●	●					
	HPNLS-MIX						●	●					
	Tri-Light HV						●	●					
	NanoTune				●	●	●	●					
	HPCCS						●	●	●		●	●	●
	HPFB						●	●	●		●	●	●
	SBL-MIX						●	●	●		●	●	●
	N-RFO						●	●	●		●	●	●
	NanoRouter						●	●	●		●	●	●
	NanoRouter-X						●	●	●		●	●	●
	Monolink-W10V						●	●	●		●	●	●
	MonoBoost						●	●	●		●	●	●
	WA5												●
	SDS-DMX						●	●	●		●	●	●
	SDS-10V									●			