

DATE:	TYPE:	PROJECT:	CUSTOMER:



## Micro Profile LED Task and Cove Fixture


Dimmable Solid Color line voltage fixture for use as a task light or in a cove. The Boca NANOLUME is a small profile line voltage fixture well suited to cove areas where space and energy consumption are constrained. Boca's patented CleanDim® technology ensures even dimming from 0-100%. The NANOLUME can be fabricated with a range of color temperature choices, affording a multitude of options. The housing is a high temperature ABS plastic with a durable white or black finish, making it temperature and abrasion resistant.

### KEY FEATURES:


- Compact, variable light fixture.
- Fixture comes in 6" increments with a 12" minimum.
- Many options in color temperature to suit a range of projects.
- Uses standard line voltage dimming.
- Fixtures are compatible with both forward and reverse phase dimming or can use Boca's SDS module for 0-10V or DMX Dimming.
- Interior installations only.
- Contact Boca Flasher for tips with custom installation procedures.
- Total linear feet per power feed: 120V = 80 ft., 277V = 150 ft.

### DIAGRAMS & DIMENSIONS:


#### PLAN VIEW



#### ELEVATION VIEW



### MOUNTING INFORMATION:



- \* For vertical installation please contact the factory for specific mounting Instructions.
- \* For installations above 4' please contact the factory.

### TECHNICAL SPECIFICATIONS:

<b>WATTAGE:</b> 3 or 6 watts per linear ft.	<b>TOTAL WIDTH:</b> 1.04"
<b>INPUT VOLTAGE:</b> 90-120VAC 230-277V	<b>TOTAL HEIGHT:</b> 0.82"
<b>CONTROL:</b> Leading-edge/ Trailing-edge line dimmer 0-10V, DMX	<b>MOUNTING:</b> Adjustable swivel clip, Fixed
<b>LED SPACING:</b> 5/8" on center	<b>COLOR OPTIONS:</b> 2000K, 2400K, 2700K, 3000K 3500K, 4000K
<b>LENGTH:</b> 12-72", increment, allow 1/4" for each end cap and 1.25" for power feed cable.	<b>OPTICS AVAILABLE:</b> 10°, 15x40°, 40°, 120°
	<b>POWER CABLE:</b> UL standard 6 ft.
	<b>RATING:</b> Interior only

#### COLOR RENDERING

**INDEX(CRI):** 90 + CRI

### PROJECT SPECIFICATIONS:

Nanolume	—	—	—	—	—
	<b>POWER:</b> 3 Watt = 3W 6 Watt = 6W	<b>COLOR OPTION:</b> 2000K, 2400K, 2700K, 3000K, 3500K, 4000K	<b>OPTIC:</b> 10°, 15x40° 40°, 120°	<b>VOLTAGE:</b> 90-120VAC = 120V 230-277VAC = 277V	
	<b>FINISH:</b> White = W Black = B	<b>MOUNTING:</b> Fixed = 1 Swivel = 2	<b>LENS:</b> Clear = C Clear Light Diffused = CLD* Heavy Diffused = HD* *Not available with Optics		

We are constantly improving our fixtures and reserve the right to change options and specifications. For specific requirements, contact your Boca Flasher sales representative. This product complies with IES LM-79-08 testing procedures and relevant standards. NANOLUME meets or exceeds Title 24 Compliance. >45 Lumens per Watt. For additional information and details visit our website at [www.bocaflasher.com](http://www.bocaflasher.com). All products proudly manufactured in the USA. Boca Flasher, Inc. 508 South Military Trail, Deerfield Beach, Florida 33442 USA Phone: 561.989.5338 Fax: 561.982.8323 © 2018 Boca Flasher, Inc. All rights reserved. All names and trademarks are property of their respective owners. REV 03-2018

